


09/829991 Examiner: DUONG, THOI GAU: 2871
Inventor: KIKKAWA , HIRONORI Classification: 349/044.000
Status: 71 - RESPONSE TO NON-FINAL OFFICE ACTION ENTERED AND FORWARDED TO EXAMINER
Title: ACTIVE MATRIX LIQUID CRYSTAL DISPLAY DEVICE

Application Messages (1 items sorted by NONE in NO order)

Date	Code	Status	Status2	Receiver	Team	Text
03/25/2004	ADHOC	forwarded		TDUONG4	2871Examination	TD is approved

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	2	20010011985.pn.	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM_ TDB	2004/03/30 15:24
2	BRS	L2	387	349/44	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM_ TDB	2004/03/30 16:11
3	BRS	L3	70	2 and (common counter) adj electrode with shield\$3	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM_ TDB	2004/03/30 15:44
4	BRS	L4	3	2 and (common counter) adj electrode with shield\$3 with voltage with black	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM_ TDB	2004/03/30 15:30

	Type	L #	Hits	Search Text	DBs	Time Stamp
5	BRS	L5	7	3 and (common counter) adj electrode with black with (signal data)	USPAT; US-PGPUB; ; EPO; JPO; DERWENT; IBM-TDB	2004/03/30 15:44
6	BRS	L6	773	349/141	USPAT; US-PGPUB; ; EPO; JPO; DERWENT; IBM-TDB	2004/03/30 15:43
7	BRS	L7	154	6 and (common counter) adj electrode with shield\$3	USPAT; US-PGPUB; ; EPO; JPO; DERWENT; IBM-TDB	2004/03/30 15:44
8	BRS	L8	34	7 and (common counter) adj electrode with black with (signal data)	USPAT; US-PGPUB; ; EPO; JPO; DERWENT; IBM-TDB	2004/03/30 16:05

	Type	L #	Hits	Search Text	DBs	Time Stamp
9	BRS	L9	77	6 and (common counter) adj electrode with black with (signal data)	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB	2004/03/30 16:11
10	BRS	L10	17	8 and voltage with (black shield\$3)	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB	2004/03/30 16:11
11	BRS	L11	1208	349/110	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB	2004/03/30 16:11
12	BRS	L12	52	11 and (common counter) adj electrode with black with (signal data)	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB	2004/03/30 16:11

	Type	L #	Hits	Search Text	DBs	Time Stamp
13	BRS	L13	20	12 and voltage with (black shield\$3)	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM_ TDB	2004/03/3 0 16:11